

REMARKS

Favorable consideration of this application, as presently amended, is respectfully requested.

The present preliminary amendment is submitted to place the above-identified application in more proper format under United States practice. By the present preliminary amendment the claims have been amended to no longer recite any improper multiple dependencies. A new Abstract is also submitted herein.

The present application is believed to be in condition for a full and thorough examination on the merits. An early and favorable consideration of the present application is hereby respectfully requested.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Gregory J. Maier  
Attorney of Record  
Registration No. 25,599  
Surinder Sachar  
Registration No. 34,423



**22850**

(703) 413-3000  
Fax No.: (703)413-2220  
SNS/rac

I:\atty\SNS\210375US-PR.wpd

**Marked-Up Copy**

Serial No: \_\_\_\_\_

Amendment Filed on: \_\_\_\_\_

*07-18-01*

IN THE CLAIMS

--4. (Amended) A method as claimed in [any of] claim[s] 2 [and 3] wherein the decision is based at least in part on performance of at least one network selected in accordance with the preferred route.

5. (Amended) A method as claimed in [any preceding] claim 1 wherein the preferred route codes further determine a choice of a further network (5A,5B,5C) for forward connection between a network (8A) of the service provider of the selected communication channel and the call destination (2) via the further network.

7. (Amended) A method as claimed in [any of] claim[s] 5 [and 6] wherein the mobile telephone adds a prefix code (50) to the user generated call destination information.

9. (Amended) A method as claimed in [any of] claim[s] 7 [and 8] wherein the prefix code includes a charging information field (51) for identifying a control entity (7) to be billed by one or more service providers corresponding to the selected network connection route.

10. (Amended) A method as claimed in [any preceding] claim 1 including the step of the mobile telephone periodically scanning (62) received transmissions to identify available communications channels (80,81,82,83) and completing (63) a registration procedure for all available channels in order to facilitate subsequent communication by selection therefrom.

12. (Amended) A method as claimed in [any of] claim[s] 10 [and 11] including the step of electing (65) from the available channels an update receiving channel (80) for receipt of updating information broadcasts.

13. (Amended) A method as claimed in [any preceding] claim 1 wherein the look-up table (1000) is stored in a portable storage medium (505) removably installed in the mobile telephone.

15. (Amended) A method as claimed in [any of] claim[s] 13 [and 14] wherein the portable storage medium is a SIM (subscriber identity module) card (505) which also stores subscriber specific data for identification and authentication purposes.

16. (Amended) A method as claimed in [any of] claim[s] 13 [to 15] wherein the look-up table is populated with an initial set of data before installation of the storage medium in the mobile telephone.

17. (Amended) A method as claimed in [any preceding] claim 1 including the step of periodically updating the data stored in the look-up table by receiving data blocks each containing a respective portion of updated data and, for each received data block, overwriting a corresponding portion of the existing data with updated data from the received block.

18. (Amended) A method as claimed in [any preceding] claim 1 wherein the look-up table (900) comprises:

a routing table (1101) containing the preferred route codes;

a carrier selection table (1102) containing, for each preferred route code, a list in order of priority of carrier selections to be used, subject to availability; and

a carrier access table (1103) containing, for each carrier selection, a channel selection identifying a communications channel provided by a service provider of the mobile telephone

system and a prefix code to be added to the dialled number identifying a further network for routing the call.

23. (Amended) A method as claimed in [any preceding] claim 1 wherein the look-up table comprises default route data and wherein if accessing the look-up table with the call destination information fails to locate corresponding data defining a preferred route code, the preferred route code is derived from the default route data.

24. (Amended) A method as claimed in [any preceding] claim 1 wherein updating information for updating the look-up table is communicated to the mobile telephone via a selected one of the available communications channels.

26. (Amended) A method as claimed in [any of] claim[s] 24 [and 25] wherein the updating information is transmitted as a multipoint broadcast to a plurality of mobile telephones.

27. (Amended) A method as claimed in [any of] claim[s] 1 [to 26] wherein the updating information is transmitted to the mobile telephone as a web page.

29. (Amended) A method as claimed in [any of] claim[s] 27 [and 28] wherein the mobile telephone processes the web page to extract updating information; stores the extracted updating information in a buffer memory; and updates the look-up table with updating information read from the buffer memory.

30. (Amended) A method as claimed in [any of] claim[s] 1 [to 23] wherein the updating information is communicated to the mobile telephone by detachably connecting the mobile telephone to a docking station (1300,1500) and transmitting the updating information to the mobile telephone via the docking station.

34. (Amended) A method as claimed in [any of] claim[s] 31 [to 33] wherein the broadcasting network is an optical cable network (1301).

35. (Amended) A method as claimed in [any of] claim[s] 31 [to 33] wherein the broadcasting network is a satellite television network.

39. (Amended) A method as claimed in [any of] claim[s] 30 [to 38] wherein the mobile telephone comprises an internal battery (1400) which is recharged by detachably connecting the mobile telephone to the docking station.

40. (Amended) A method as claimed in [any preceding] claim 1 wherein the preferred route code determines a route via a packet switched network (1800) and comprises network address information defining at least one node (1801) of the network which is to be included in the selected route.

42. (Amended) A method as claimed in [any of] claim[s] 40 [and 41] wherein the outgoing telephone call is transmitted as a packetised signal using a protocol in which such signals include a start address indicator interpreted by the network as being representative of a network address from which the call originates and comprising the further step of transmitting the outgoing telephone call including start address information (1902) defined by the preferred route code.

44. (Amended) A method as claimed in [any preceding] claim 1 wherein the telephone call is originated to communicate data comprising a type of data selected from a set of alternative types of data.

46. (Amended) A method as claimed in [any of] claim[s] 43 [and 44] wherein the look-up table stores respective preferred route codes for each of the types of data.

47. (Amended) A method as claimed in [any preceding] claim 1 wherein the cellular telephone system comprises part of a packet switching network in which the mobile telephone constitutes a node of the network and wherein the call destination constitutes a further node of the network.

51. (Amended) A mobile telephone as claimed in [any of] claim[s] 49 [and 50] wherein the prefix code includes a charging information field (51) for identifying a control entity (7) to be billed by one or more service providers corresponding to the selected network connection route.

52. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 51] comprising means (300) for periodically scanning received transmissions to identify available communications channels (80,81,82,83) and completing a registration procedure for all available channels in order to facilitate subsequent communication by selection therefrom.

55. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 54] wherein the look-up table (1000) is stored in a portable storage medium (505) removably installed in the mobile telephone.

57. (Amended) A mobile telephone as claimed in [any of] claim[s] 55 [and 56] wherein the portable storage medium is a SIM (subscriber identity module) card (505) which also stores subscriber specific data for identification and authentication purposes.

58. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 57] comprising updating means (901,136) for periodically updating the data stored in the look-up table by receiving data blocks each containing a respective portion of updated data and, for each received data block, overwriting a corresponding portion of the existing data with updated data from the received block.

59. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 58] wherein the look-up table (900) comprises:

a routing table (1101) containing the preferred route codes;

a carrier selection table (1102) containing, for each preferred route code, a list in order of priority of carrier selections to be used, subject to availability; and

09869295-071801

a carrier access table (1103) containing, for each carrier selection, a channel selection identifying a communications channel provided by a service provider of the mobile telephone system and a prefix code to be added to the dialled number identifying a further network for routing the call.

64. (Amended) A mobile telephone as claimed in [any preceding] claim 1 wherein the look-up table comprises default route data (1105) and wherein the accessing means is operable, if accessing the look-up table with the call destination information fails to locate corresponding data defining a preferred route code, to derive preferred route code from the default route data.

65. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 64] comprising means (901) for extracting updating information for updating the look-up table from signals communicated to the mobile telephone via a selected one of the available communications channels.

69. (Amended) A mobile telephone as claimed in [any of] claim[s] 67 [and 68] wherein the extracting means comprises a processor operable to process the web page to extract updating information; store the extracted updating information in a buffer memory (902); and update the look-up table with updating information read from the buffer memory.

70. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 64] comprising connecting means (1302) operable to detachably connect the mobile telephone to a docking station (1300,1500) and an interface (1406) for receiving the updating information transmitted in use to the mobile telephone via the docking station.

72. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 71] wherein the preferred route code determines a route via a packet switched network (1800) and

comprises network address information defining in use at least one node (1801) of the network which is to be included in the selected route.

74. (Amended) A mobile telephone as claimed in [any of] claim[s] 72 [and 73] comprising means for transmitting the outgoing telephone call as a packetised signal using a protocol in which such signals include a start address indicator interpreted in use by the network as being representative of a network address from which the call originates and wherein the transmitting means is operable to transmit the outgoing telephone call including start address information (1902) defined by the preferred route code.

75. (Amended) A mobile telephone as claimed in [any of] claim[s] 48 [to 74] and operable to output communications signals representative of a type of data selected from a set of alternative types of data.

77. (Amended) A mobile telephone as claimed in [any of] claim[s] 75 [and 76] wherein the look-table stores respective preferred route codes for each of the types of data.

85. (Amended) A computer program comprising processor implementable instructions for carrying out a method of operating a mobile telephone as claimed in [any of] claim[s] 1 [to 47].

86. (Amended) A storage medium storing processor implementable instructions for carrying out a method of operating a mobile telephone as claimed in [any of] claim[s] 1 [to 47].

87. (Amended) A communications signal comprising processor implementable instructions for carrying out a method of operating a mobile telephone as claimed in [any of] claim[s] 1 [to 47].



88. (Amended) A communications signal comprising route selecting information contained in an outgoing telephone call signal in accordance with a method as claimed in [any of] claim[s] 1 [to 47].--